

Geltrex™ hESC-qualified Ready-To-Use
Reduced Growth Factor Basement Membrane Matrix

Lot Number: 963762
Item Number: A15696
Expiration Date: 2023-08
Storage Temp: 2 to 8C
Storage Instructions: Protect from light

For research use only. Not for use in diagnostic procedures.

TEST	TEST ID	SPECIFICATION	RESULT	UNITS
Endotoxin - LAL Assay	ENDO0047	<=8.0	<0.1	EU/mL
hESC Growth Assay	HESCGR0003	Acceptable	Acceptable	
Mycoplasma - By PCR	MYCO0017	None Detected	None Detected	
Protein Concentration	PROTEI0025	0.12 - 0.18	0.15	mg/mL
RT-PCR Testing For LDEV Sequence - Testing for Lactate Dehydrogenase-Elevating Virus	MISC0209	Not Detected	Not Detected	
Sterility - USP	STERI0016	Acceptable	Acceptable	

Read SDS

Manufactured for Thermo Fisher Scientific Corporation.



Quality Systems Department Date: 26-Sep-2022

References

- HESCGR0003: Vendor specifications: Plates are coated with each test lot of "Geltrex hESC-qualified Ready-To-Use". Human embryonic Stem Cells (hESC) in STEMPRO® hESC SFM are grown on coated test plates and are monitored for hESC expansion. After the completion of the hESC Growth Assay, the test samples are prepared for RNA and tested by PCR Analysis.
- MYCO0017: Vendor supplied information
- STERI0016: Vendor supplied information